

Full Spectrum CBD Tincture

Sample ID: SA-09082021-3880
 Batch: 2021090806
 Type: Finished Products
 Matrix: Oil / Liquid - MCT Oil

Received: 09/14/2021
 Completed: 09/22/2021

Client

Hempstock Pharms Limited
 14023 West South Street Road
 Woodstock, IL 60098
 USA
 Lic. #: Grower 1200-75, Processor 1204-86



Summary

Test
 Cannabinoids


Date Tested
 09/22/2021

Status
 Tested

Cannabinoids by HPLC-PDA

0.183 %	3.53 %	4.03 %	Not Tested	Not Tested	Yes
Total Δ9-THC	CBD	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Marker Recovered

Analyte	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (%)
CBC	0.00095	0.00284	1.51	0.162
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	0.024	0.00257
CBD	0.00081	0.00242	33.0	3.53
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.00182	0.746	0.0798
CBDVA	0.00021	0.00063	ND	ND
CBG	0.00057	0.00172	0.512	0.0548
CBGA	0.00049	0.00147	ND	ND
CBL	0.00112	0.00335	0.111	0.0119
CBLA	0.00124	0.00371	ND	ND
CBN	0.00056	0.00169	0.023	0.00246
CBNA	0.0006	0.00181	ND	ND
Δ8-THC	0.00104	0.00312	ND	ND
Δ9-THC	0.00076	0.00227	1.71	0.183
Δ9-THCA	0.00084	0.00251	ND	ND
Δ9-THCV	0.00069	0.00206	ND	ND
Δ9-THCVA	0.00062	0.00186	ND	ND
Total Δ9-THC			1.71	0.183
Total CBD			33.0	3.53
Total			37.7	4.03



ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



09/23/2021

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



ISO/IEC 17025:2017 Accredited
 Accreditation #108651

