
KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

kca

Regular Strength Gummy

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1



atch: rpe: Finished Products atrix: Edible - Gummy hit Mass (g): 3.86055	2639	Received: 10/04/2022 Completed: 10/11/2022		Client Delta Technologies LLC 4526 San Fernando Rd Glendale, CA 91204 USA	
	Rambow Unicerni - Figurar		Summary Test Cannabinoids	Date Tested 10/11/2022	Status Tested
0.0610 %	0.324 %	0.854 %	Not Tested	Not Tested	Yes
Total ∆9-THC	(6aR,9S,10aR)-HHC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization
annabinoids	-		/or GC-MS/MS		
nalyte BC	L 0.0	-OD (%) 00095	LOQ (%) 0.00284	Result (%) ND	Result (mg/unit) ND
nalyte BC BCA	L 0.0 0.0	-OD (%) 00095 .00181	LOQ (%) 0.00284 0.00543	Result (%) ND ND	(mg/unit) ND ND
nalyte BC BCA BCV	0.0 0.0 0.0	-OD (%) 00095 .00181 .0006	LOQ (%) 0.00284 0.00543 0.0018	Result (%) ND ND ND	(mg/unit) ND ND ND
halyte BC BCA BCV BD	L 0.0 0.0 0.0 0.0	-OD (%) 00095 .00181 .0006 00081	LOQ (%) 0.00284 0.00543 0.0018 0.00242	Result (%) ND ND ND ND ND 0.188	(mg/unit) ND ND ND 7.27
halyte BC BCA BCV BD BDA	0.0 0.0 0.0 0.0	-OD (%) 00095 .00181 .0006 00081 00043	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013	Result (%) ND ND ND 0.188 ND ND	(mg/unit) ND ND ND 7.27 ND
halyte BC BCA BC BD BDA BDA BDV	0.0 0.0 0.0 0.0 0.0 0.0	-OD (%) 00095 .00181 .0006 00081 00043 00061	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182	Result (%) ND ND ND 0.188 ND 0.00462	(mg/unit) ND ND ND 7.27 ND 0.178
halyte 3C 3CA 3CV 3D 8DA 8DV 8DV 8DVA	L 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063	Result (%) ND ND ND 0.188 ND 0.00462 ND	(mg/unit) ND ND ND 7.27 ND 0.178 ND
nalyte BC BCA BCV BD BDA BDV BDVA BGVA BG	L 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00021 00057	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172	Result (%) ND ND ND 0.188 ND 0.00462 ND 0.0209	(mg/unit) ND ND 7.27 ND 0.178 ND 0.806
nalyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA	L 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147	Result (%) ND ND ND 0.188 ND 0.00462 ND 0.0209 ND	(mg/unit) ND ND 7.27 ND 0.178 ND 0.806 ND
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BL	L 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335	Result (%) ND ND ND 0.188 ND 0.00462 ND 0.0209 ND ND ND	(mg/unit) ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BL BLA	L 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147	Result (%) ND ND ND 0.188 ND 0.00462 ND 0.0209 ND	(mg/unit) ND ND 7.27 ND 0.178 ND 0.806 ND
nalyte ac ac ac ac ac ac ac ac ac ac	1 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371	Result (%) ND ND ND 0.188 ND 0.00462 ND 0.0209 ND	(mg/unit) ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND ND ND
nalyte ac ac ac ac ac ac ac ac ac ac	1 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169	Result (%) ND ND ND 0.188 ND 0.00462 ND 0.0209 ND ND ND 0.0209 ND ND 0.00403	(mg/unit) ND ND 7.27 ND 0.178 ND 0.806 ND ND ND ND ND 0.156
nalyte BC BCA BCA BCV BD BDA BDA BDV BDVA BG BCA BL BLA BLA BN BNA BNA BT	L 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181	Result (%) ND ND ND 0.188 ND 0.00462 ND 0.0209 ND ND ND 0.00462 ND 0.000403 ND	(mg/unit) ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND ND 0.156 ND
nalyte BC BCA BCA BCA BCA BDA BDA BDV BDVA BCA BCA BLA BLA BNA BNA BT BT B-THC	1 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054	Result (%) ND ND ND 0.188 ND 0.00462 ND 0.0209 ND ND 0.0203 ND 0.00403 ND 0.0131	(mg/unit) ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND ND 0.156 ND 0.506
nalyte BC BCA BCA BCA BCA BDA BDA BDV BDVA BCA BCA BLA BLA BLA BNA BNA BT B-THC D-THC	1 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006 .0018 00104	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312	Result (%) ND ND ND 0.188 ND 0.00462 ND 0.0209 ND ND 0.0209 ND ND 0.00403 ND 0.0131 <loq< td=""></loq<>	(mg/unit) ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND 0.156 ND 0.156 ND 0.506 <loq< td=""></loq<>
nalyte ac ac ac ac ac ac ac ac ac ac	1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006 .0018 00104 00076	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00227	Result (%) ND ND ND ND 0.188 ND 0.00462 ND 0.0209 ND ND 0.0209 ND 0.00403 ND 0.0131 <loq< td=""> 0.0610</loq<>	(mg/unit) ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND 0.156 ND 0.156 ND 0.506 <loq 2.35</loq
nalyte BC BC BC BC BC BC BC BC BC BC	1 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006 .0018 00104 00076 00084	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00227 0.00251	Result (%) ND ND ND ND 0.188 ND 0.00462 ND 0.0209 ND ND 0.00403 ND 0.0131 <loq< td=""> 0.0610 ND</loq<>	(mg/unit) ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND 0.156 ND 0.156 ND 0.506 <loq 2.35 ND</loq
nalyte BC BCA BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BLA BNA BT 3-THC 3-	1 0.0 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006 .0018 00104 00076 00084 00069 00062 .0067	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00251 0.00227 0.00251 0.00206 0.00186 0.02	Result (%) ND ND ND 0.188 ND 0.00462 ND 0.0209 ND 0.0209 ND 0.00403 ND 0.0131 <loq< td=""> 0.0610 ND <loq< td=""> ND 0.215</loq<></loq<>	(mg/unit) ND ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND 0.156 ND 0.156 ND 0.156 ND 0.506 <loq 2.35 ND <loq 2.35 ND <loq ND 8.31</loq </loq </loq
nalyte BC BCA BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BN BNA BT 3-THC 3-T	1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006 .0018 00104 00076 00084 00069 00062 .0067 .0067	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00227 0.00251 0.00206 0.00186 0.02 0.02	Result (%) ND ND ND ND 0.188 ND 0.00462 ND 0.00209 ND 0.0209 ND 0.00403 ND 0.0131 <loq< td=""> 0.0610 ND 0.215 0.324</loq<>	(mg/unit) ND ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND 0.156 ND 0.156 ND 0.156 ND 0.506 <loq 2.35 ND <loq 2.35 ND <loq ND 8.31 125</loq </loq </loq
nalyte BC BCA BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BNA BNA BT 3-THC 3-	1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006 .0018 00104 00076 00084 00069 00062 .0067 0067 00067	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00251 0.00227 0.00251 0.00206 0.00186 0.02 0.02 0.002	Result (%) ND ND ND ND 0.188 ND 0.00462 ND 0.00209 ND 0.0209 ND 0.00403 ND 0.0031 <loq< td=""> 0.0610 ND 0.215 0.324 0.0198</loq<>	(mg/unit) ND ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND 0.156 ND 0.156 ND 0.156 ND 0.506 <loq 2.35 ND <loq 2.35 ND <loq ND 8.31 12.5 0.766</loq </loq </loq
nalyte BC BCA BCA BCV BD BDA BDV BDVA BBQA BBQA BBCA BL BLA BNA BT B-THC 9-THC 9-THC 9-THC 9-THCV 9-THCVA aR,9R,10aR)-HHC aR,9S,10aR)-HHC R-HHCP 5-HHCP	1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006 .0018 00104 00076 00084 00069 00062 .0067 .0067	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00227 0.00251 0.00206 0.00186 0.02 0.02	Result (%) ND ND ND ND 0.188 ND 0.00462 ND 0.00209 ND 0.0209 ND 0.00403 ND 0.00403 ND 0.0131 <loq< td=""> 0.0610 ND <loq< td=""> ND 0.215 0.324 0.00276</loq<></loq<>	(mg/unit) ND ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND 0.156 ND 0.156 ND 0.506 <loq 2.35 ND <loq 2.35 ND <loq ND 8.31 12.5 0.766 0.107</loq </loq </loq
nalyte BC BCA BCA BCV BD BDA BDV BDVA BG BGA BL BLA BN BNA BT 3-THC 3-TH	1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006 .0018 00104 00076 00084 00069 00062 .0067 0067 00067	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00251 0.00227 0.00251 0.00206 0.00186 0.02 0.02 0.002	Result (%) ND ND ND ND 0.188 ND 0.00462 ND 0.00209 ND ND 0.0209 ND 0.00403 ND 0.00403 ND 0.0131 <loq< td=""> 0.0610 ND 0.215 0.324 0.00276 0.0610</loq<>	(mg/unit) ND ND ND ND 7.27 ND 0.178 ND 0.806 ND ND 0.156 ND 0.156 ND 0.156 ND 0.506 <loq 2.35 ND <loq 2.35 ND <loq ND 8.31 12.5 0.766 0.107 2.35</loq </loq </loq
nalyte BC BCA BCA BCV BD BDA BDV BDVA BBQA BBQA BBCA BL BLA BNA BT B-THC 9-THC 9-THC 9-THC 9-THCV 9-THCVA aR,9R,10aR)-HHC aR,9S,10aR)-HHC R-HHCP 5-HHCP	1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	-OD (%) 00095 .00181 .0006 00081 00043 00061 00021 00057 00049 .00112 00124 00056 .0006 .0018 00104 00076 00084 00069 00062 .0067 0067 00067	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00251 0.00227 0.00251 0.00206 0.00186 0.02 0.02 0.002	Result (%) ND ND ND ND 0.188 ND 0.00462 ND 0.00209 ND 0.0209 ND 0.00403 ND 0.00403 ND 0.0131 <loq< td=""> 0.0610 ND <loq< td=""> ND 0.215 0.324 0.00276</loq<></loq<>	(mg/unit) ND ND ND ND 7.27 ND 0.178 ND 0.806 ND ND ND 0.156 ND 0.156 ND 0.506 <loq 2.35 ND <loq 2.35 ND <loq ND 8.31 12.5 0.766 0.107</loq </loq </loq

ND

ac-MR Generated By: Ryan Bellone Tested By: Scott Caudill CCO Senior Scientist Date: 10/11/2022 Date: 10/11/2022



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.